



How to find a Pathway

Using Menus and Search



Health
Nepean Blue Mountains
Local Health District



HealthPathways
Nepean Blue Mountains

Home
Contact Us
Subscribe to Updates
Disclaimer

Search

Back >

Print Send Feedback

Using HealthPathways

- What is HealthPathways?
- How to use HealthPathways
- How to send feedback on a pathway
- Install the HealthPathways desktop icon

New and Updated Pathways

16 Nov	Gynaecology Advice	NEW
15 Nov	Intra-uterine System (IUS) or Device (IUD)	NEW
15 Nov	Polycystic Ovarian Syndrome (PCOS)	NEW
13 Nov	Progesterone Only Contraceptive Pills (POPs)	NEW
13 Nov	Emergency Contraceptive	NEW
09 Nov	Herpes Simplex Virus	NEW
09 Nov	Colposcopy	NEW
08 Nov	UTI in Adults	NEW
07 Nov	Epididymo-orchitis	NEW
01 Nov	Non-acute Urology Review	NEW

[View more changes...](#)

Most Frequently Used Pathways

- Tonsillitis and Sore Throat
- Cognitive Impairment
- Deep Vein Thrombosis (DVT)
- Pertussis (Whooping Cough)
- Gout
- Haematuria in Adults
- Zoledronic Acid Infusion
- Headaches in Adults
- Acute Otitis Media in Children
- Constipation in Children

Last month's none statified

HealthPathways
Nepean Blue Mountains

Home Contact Us
Subscribe to Updates
Disclaimer

Search

Back >

Print Send Feedback

Using HealthPathways

- What is HealthPathways?
- How to use HealthPathways
- How to send feedback on a pathway
- Install the HealthPathways desktop icon

New and Updated Pathways

16 Nov	Gynaecology Advice	NEW
15 Nov	Intra-uterine System (IUS) or Device (IUD)	NEW
15 Nov	Polycystic Ovarian Syndrome (PCOS)	NEW
13 Nov	Progesterone Only Contraceptive Pills (POPs)	NEW
13 Nov	Emergency Contraceptive	NEW
09 Nov	Herpes Simplex Virus	NEW
09 Nov	Colposcopy	NEW
08 Nov	UTI in Adults	NEW
07 Nov	Epididymo-orchitis	NEW
01 Nov	Non-acute Urology Review	NEW

View more changes...

Most Frequently Used Pathways

- Tonsillitis and Sore Throat
- Cognitive Impairment
- Deep Vein Thrombosis (DVT)
- Pertussis (Whooping Cough)
- Gout
- Haematuria in Adults
- Zoledronic Acid Infusion
- Headaches in Adults
- Acute Otitis Media in Children
- Constipation in Children

Last month's name statistics

The newest Pathways display in the centre of the homepage

HealthPathways
Nepean Blue Mountains

Home Contact Us
Subscribe to Updates
Disclaimer

Search

Back >

Print Send Feedback

Using HealthPathways

- What is HealthPathways?
- How to use HealthPathways
- How to send feedback on a pathway
- Install the HealthPathways desktop icon

New and Updated Pathways

16 Nov	Gynaecology Advice	NEW
15 Nov	Intra-uterine System (IUS) or Device (IUD)	NEW
15 Nov	Polycystic Ovarian Syndrome (PCOS)	NEW
13 Nov	Progesterone Only Contraceptive Pills (POPs)	NEW
13 Nov	Emergency Contraceptive	NEW
09 Nov	Herpes Simplex Virus	NEW
09 Nov	Colposcopy	NEW
08 Nov	UTI in Adults	NEW
07 Nov	Epididymo-orchitis	NEW
01 Nov	Non-acute Urology Review	NEW

View more changes...

Most Frequently Used Pathways

- Tonsillitis and Sore Throat
- Cognitive Impairment
- Deep Vein Thrombosis (DVT)
- Pertussis (Whooping Cough)
- Gout
- Haematuria in Adults
- Zoledronic Acid Infusion
- Headaches in Adults
- Acute Otitis Media in Children
- Constipation in Children

Last month's name statistics

The Pathways most frequently used are displayed on the right

HealthPathways
Nepean Blue Mountains

Home
Contact Us
Subscribe to Updates
Disclaimer

Search

Back

Print Send Feedback

Using HealthPathways

- What is HealthPathways?
- How to use HealthPathways
- How to send feedback on a pathway
- Install the HealthPathways desktop icon

New and Updated Pathways

16 Nov	Gynaecology Advice	NEW
15 Nov	Intra-uterine System (IUS) or Device (IUD)	NEW
15 Nov	Polycystic Ovarian Syndrome (PCOS)	NEW
13 Nov	Progesterone Only Contraceptive Pills (POPs)	NEW
13 Nov	Emergency Contraceptive	NEW
09 Nov	Herpes Simplex Virus	NEW
09 Nov	Colposcopy	NEW
08 Nov	UTI in Adults	NEW
07 Nov	Epididymo-orchitis	NEW
01 Nov	Non-acute Urology Review	NEW

View more changes...

Most Frequently Used Pathways

- Tonsillitis and Sore Throat
- Cognitive Impairment
- Deep Vein Thrombosis (DVT)
- Pertussis (Whooping Cough)
- Gout
- Haematuria in Adults
- Zoledronic Acid Infusion
- Headaches in Adults
- Acute Otitis Media in Children
- Constipation in Children

Last month's nana statistics#

Or you can use the left menu to drill down into the available Pathways

HealthPathways
Nepean Blue Mountains

Home
Contact Us
Subscribe to Updates
Disclaimer

Search

Back

Print Send Feedback

Using HealthPathways

- What is HealthPathways?
- How to use HealthPathways
- How to send feedback on a pathway
- Install the HealthPathways desktop icon

New and Updated Pathways

16 Nov	Gynaecology Advice	NEW
15 Nov	Intra-uterine System (IUS) or Device (IUD)	NEW
15 Nov	Polycystic Ovarian Syndrome (PCOS)	NEW
13 Nov	Progesterone Only Contraceptive Pills (POPs)	NEW
13 Nov	Emergency Contraceptive	NEW
09 Nov	Herpes Simplex Virus	NEW
09 Nov	Colposcopy	NEW
08 Nov	UTI in Adults	NEW
07 Nov	Epididymo-orchitis	NEW
01 Nov	Non-acute Urology Review	NEW

View more changes...

Most Frequently Used Pathways

- Tonsillitis and Sore Throat
- Cognitive Impairment
- Deep Vein Thrombosis (DVT)
- Pertussis (Whooping Cough)
- Gout
- Haematuria in Adults
- Zoledronic Acid Infusion
- Headaches in Adults
- Acute Otitis Media in Children
- Constipation in Children

Last month's nana statistics#

Click on a + button to see additional options within that category

HealthPathways
Nepean Blue Mountains

Home
Contact Us
Subscribe to Updates
Disclaimer

Search

Print Send Feedback

Using HealthPathways

- What is HealthPathways?
- How to use HealthPathways
- How to send feedback on a pathway
- Install the HealthPathways desktop icon

New and Updated Pathways

16 Nov	Gynaecology Advice	NEW
15 Nov	Intra-uterine System (IUS) or Device (IUD)	NEW
15 Nov	Polycystic Ovarian Syndrome (PCOS)	NEW
13 Nov	Progesterone Only Contraceptive Pills (POPs)	NEW
13 Nov	Emergency Contraceptive	NEW
09 Nov	Herpes Simplex Virus	NEW
09 Nov	Colposcopy	NEW
08 Nov	UTI in Adults	NEW
07 Nov	Epididymo-orchitis	NEW
01 Nov	Non-acute Urology Review	NEW

View more changes...

Most Frequently Used Pathways

- Tonsillitis and Sore Throat
- Cognitive Impairment
- Deep Vein Thrombosis (DVT)
- Pertussis (Whooping Cough)
- Gout
- Haematuria in Adults
- Zoledronic Acid Infusion
- Headaches in Adults
- Acute Otitis Media in Children
- Constipation in Children

Then click on the Pathway you are interested in

HealthPathways
Nepean Blue Mountains

Home
Contact Us
Subscribe to Updates
Disclaimer

Search

Print Send Feedback

Contraceptive Implant

About contraceptive implants

Red Flags

- Active breast cancer within the last 5 years

Assessment

- Exclude current pregnancy.
- Consider contraindications.
- Give counselling on:
 - bleeding pattern changes.
 - hormonal side effects.
 - reversibility of Implanon NXT once removed.
 - insertion and removal procedure, including risk of scarring and local reaction e.g., bleeding, erythema.

Management

Contraceptive implant training

All general practitioners and private gynaecologists inserting contraceptive implants should complete an approved training course and ensure they have adequate insurance coverage for this procedure. Contact Merck Sharp Dohme (MSD) on 1800-818-553 for training information or a list of local trained general practitioner providers.

- Time of insertion.
- Contraceptive coverage is immediate if implant is inserted during day 1 to 5 of cycle. If implant is being inserted at other times, ensure the woman is not already pregnant then use alternative contraception for 7 days after insertion and consider follow-up pregnancy test.
- Give consent documentation, including documentation of both doctor and patient being able to palpate implant in arm following insertion.

After insertion

- Remove implant if:
 - acute myocardial infarction
 - cerebrovascular accident
 - breast cancer

HealthPathways
Nepean Blue Mountains

Home Contact Us Subscribe to Updates Disclaimer

Search

Back >

Print Send Feedback

Using HealthPathways

- What is HealthPathways?
- How to use HealthPathways
- How to send feedback on a pathway
- Install the HealthPathways desktop icon

New and Updated Pathways

16 Nov	Gynaecology Advice	NEW
15 Nov	Intra-uterine System (IUS) or Device (IUD)	NEW
15 Nov	Polycystic Ovarian Syndrome (PCOS)	NEW
13 Nov	Progesterone Only Contraceptive Pills (POPs)	NEW
13 Nov	Emergency Contraceptive	NEW
09 Nov	Herpes Simplex Virus	NEW
09 Nov	Colposcopy	NEW
08 Nov	UTI in Adults	NEW
07 Nov	Epididymo-orchitis	NEW
01 Nov	Non-acute Urology Review	NEW

View more changes...

Most Frequently Used Pathways

- Tonsillitis and Sore Throat
- Cognitive Impairment
- Deep Vein Thrombosis (DVT)
- Pertussis (Whooping Cough)
- Gout
- Haematuria in Adults
- Zoledronic Acid Infusion
- Headaches in Adults
- Acute Otitis Media in Children
- Constipation in Children

Last month's page statistics#

Or type a keyword in the search field, then click Search

HealthPathways
Nepean Blue Mountains

Home Contact Us Subscribe to Updates Disclaimer

contraception Search

Back >

Print Send Feedback

Using HealthPathways

- What is HealthPathways?
- How to use HealthPathways
- How to send feedback on a pathway
- Install the HealthPathways desktop icon

New and Updated Pathways

16 Nov	Gynaecology Advice	NEW
15 Nov	Intra-uterine System (IUS) or Device (IUD)	NEW
15 Nov	Polycystic Ovarian Syndrome (PCOS)	NEW
13 Nov	Progesterone Only Contraceptive Pills (POPs)	NEW
13 Nov	Emergency Contraceptive	NEW
09 Nov	Herpes Simplex Virus	NEW
09 Nov	Colposcopy	NEW
08 Nov	UTI in Adults	NEW
07 Nov	Epididymo-orchitis	NEW
01 Nov	Non-acute Urology Review	NEW

View more changes...

Most Frequently Used Pathways

- Tonsillitis and Sore Throat
- Cognitive Impairment
- Deep Vein Thrombosis (DVT)
- Pertussis (Whooping Cough)
- Gout
- Haematuria in Adults
- Zoledronic Acid Infusion
- Headaches in Adults
- Acute Otitis Media in Children
- Constipation in Children

Last month's page statistics#

Or type a keyword in the search field, then click Search

HealthPathways
Nepean Blue Mountains

Home Contact Us Subscribe to Updates Disclaimer

contraception Search

Home
Acute Services
Allied Health
Child and Youth Health
End of Life
Investigations
Lifestyle
Medical
Mental Health
Older Adults' Health
Clinical Pharmacology
Public Health
Surgical
Women's Health
Our Health System

Using HealthPathways

- What is HealthPathways?
- How to use HealthPathways
- How to send feedback on a pathway
- Install the HealthPathways desktop icon

New and Updated Pathways

16 Nov	Gynaecology Advice	NEW
15 Nov	Intra-uterine System (IUS) or Device (IUD)	NEW
15 Nov	Polycystic Ovarian Syndrome (PCOS)	NEW
13 Nov	Progesterone Only Contraceptive Pills (POPs)	NEW
13 Nov	Emergency Contraceptive	NEW
09 Nov	Herpes Simplex Virus	NEW
09 Nov	Colposcopy	NEW
08 Nov	UTI in Adults	NEW
07 Nov	Epididymo-orchitis	NEW
01 Nov	Non-acute Urology Review	NEW

View more changes...

Nepean Blue Mountains LHD
Nepean Blue Mountains PHN
Interpreter Services
Education
NPS Medicineswise
Online Resources

Most Frequently Used Pathways

- Tonsillitis and Sore Throat
- Cognitive Impairment
- Deep Vein Thrombosis (DVT)
- Pertussis (Whooping Cough)
- Gout
- Haematuria in Adults
- Zoledronic Acid Infusion
- Headaches in Adults
- Acute Otitis Media in Children
- Constipation in Children

Last month's page statistics

Or type a keyword in the search field, then click Search

HealthPathways
Nepean Blue Mountains

Home Contact Us Subscribe to Updates Disclaimer

contraception Search

Web Pages Page size 10
74 results found.

Emergency Contraceptive
Contraceptive Implant
Combined Hormonal Contraceptives (CHCs)
Contraceptive Injection
Progesterone Only Contraceptive Pills (POPs)
Heavy or Irregular Menses
Intra-uterine System (IUS) or Device (IUD)
Epilepsy in Women
Long-term Contraception Review
Long Term Contraception and Sterilisation

Pages: 1 2 3 4 5 6 7 8 Next >>

Using HealthPathways

- What is HealthPathways?
- How to use HealthPathways
- How to send feedback on a pathway
- Install the HealthPathways desktop icon

New and Updated Pathways

16 Nov	Gynaecology Advice	NEW
15 Nov	Intra-uterine System (IUS) or Device (IUD)	NEW
15 Nov	Polycystic Ovarian Syndrome (PCOS)	NEW
13 Nov	Progesterone Only Contraceptive Pills (POPs)	NEW
13 Nov	Emergency Contraceptive	NEW
09 Nov	Herpes Simplex Virus	NEW
09 Nov	Colposcopy	NEW
08 Nov	UTI in Adults	NEW
07 Nov	Epididymo-orchitis	NEW
01 Nov	Non-acute Urology Review	NEW

View more changes...

Nepean Blue Mountains LHD
Nepean Blue Mountains PHN
Interpreter Services
Education
NPS Medicineswise
Online Resources

Most Frequently Used Pathways

- Tonsillitis and Sore Throat
- Cognitive Impairment
- Deep Vein Thrombosis (DVT)
- Pertussis (Whooping Cough)
- Gout
- Haematuria in Adults
- Zoledronic Acid Infusion
- Headaches in Adults
- Acute Otitis Media in Children

And click on your preferred option in the list of search results



HealthPathways
Nepean Blue Mountains

Home
Contact Us
Subscribe to Updates
Disclaimer

contraception Search
Web Pages Page size 10
74 results found.

Emergency Contraceptive
Contraceptive Implant
Combined Hormonal Contraceptives (CHCs)
Contraceptive Injection
Progesterone Only Contraceptive Pills (POPs)
Heavy or Irregular Menses
Intra-uterine System (IUS) or Device (IUD)
Epilepsy in Women
Long-Term Contraception Review
Long-Term Contraception and Sterilisation

Pages: 1 2 3 4 5 6 7 8 Next >>

Contraceptive Implant

[About contraceptive implants](#)

Red Flags

- Active breast cancer within the last 5 years

Assessment

- Exclude [current pregnancy](#).
- Consider [contraindications](#).
- Give counselling on:
 - [bleeding pattern changes](#).
 - [hormonal side effects](#).
 - [reversibility](#) of Implanon NXT once removed.
 - insertion and removal procedure, including risk of scarring and local reaction e.g., bleeding, erythema.

Management

Contraceptive implant training

All general practitioners and private gynaecologists inserting contraceptive implants should complete an approved training course and ensure they have adequate insurance coverage for this procedure. Contact Merck Sharp Dohme (MSD) on **1800-818-553** for training information or a list of local trained general practitioner providers.

- [Time of insertion](#).
- Contraceptive coverage is immediate if implant is inserted during day 1 to 5 of cycle. If implant is being inserted at other times, ensure the woman is not already pregnant then use alternative [contraception](#) for 7 days after insertion and consider follow-up pregnancy test.
- Give [consent documentation](#), including documentation of both doctor and patient being able to palpate implant in arm following insertion.

After insertion

- Remove implant if:
 - acute myocardial infarction



Visit HealthPathways
nbm.healthpathwayscommunity.org



Health
Nepean Blue Mountains
Local Health District

